







Label
YY WW = date code



Turns ratio	1 + 1 to 6.45 + 6.45		
Weight	32g		
	Min.	Typ.	Max.
Primary DC resistance (per winding)	-15%	47	+15%
Secondary 1 DC resistance	-15%	1.34k	+15%
Secondary 2 DC resistance	-15%	1.46k	+15%
Optimal source impedance (series)	600		
LF -3dB point			10Hz
HF -3dB point *	25kHz	30kHz	
30Hz max level (1% THD)		+0dBm	
THD (0dBm, 1kHz)		0.005%	0.01%
THD (0dBm, @ 30Hz)		1.0%	
Interwinding capacitance @ 10kHz		33pF	
Leakage inductance (1-5) @ 10kHz		4mH	
Operating / storage temperature range	-20°C		+85°C

Tolerance on all dimensions +/-0.2mm unless stated otherwise
Pin diameter = 0.71mm

* With 600 source resistance, screen (pin 8) grounded.
Unused pins should be left floating with minimal pad size for best performance.
Fitted with screening can.




Unit 5, Oxonian Park, Langford Locks,
Kidlington, Oxfordshire. OX5 1FP
Tel: (01865) 855085 Fax: (01865) 855075
Website: www.oep.co.uk

DESCRIPTION	ISSUE	DATE	DRAWN	CHECKED	DRAWING NUMBER
PCB mounting line input transformer Impedance: 150 /600 to 6.25k /25k page 1 of 2	1	23/07/07	CS		Z218A3C
	2	29/09/09	CS		
	3	13/05/10	CS		
	4	01/11/10	CS		


Scale: nts

All dimensions in mm unless stated otherwise


Distortion 20Hz - 20kHz, source: 0dBm, load: 4k89 ohms, primaries in series, secondaires in parallel





Frequency response: source: 0dBm, load: 4k89 ohms, primaries in series, secondaires in parallel



Impedance 20Hz - 30kHz (4k89 ohm load with primaries in series, secondaires in parallel)



Primary OCL (windings in series) 20Hz - 1kHz: at 0dBu



Unit 5, Oxonian Park, Langford Locks,
Kidlington, Oxfordshire. OX5 1FP
Tel: (01865) 855085 Fax: (01865) 855075
Website: www.oep.co.uk

DESCRIPTION	ISSUE	DATE	DRAWN	CHECKED	DRAWING NUMBER
PCB mounting line input transformer Impedance: 150 /600 to 6.25k /25k page 2 of 2	1	23/07/07	CS		Z218A3C
	2	29/09/09	CS		
	3	13/05/10	CS		
	4	01/11/10	CS		

Scale: nts

All dimensions in mm unless stated otherwise